

Product Datasheet

description:	R WH 1,5L ws29 120g KS80 69/KRT 4KRT/CP2HT UN	year:	1998
product group:	Square Chemical Bottle	last revision:	2013-05-28
Mauser product no.:	DE03011653	print date:	2021-11-11
customer item no.:		page:	1/2

DIMENSIONS

A:	220.00 mm
B:	100.00 mm
C:	127.00 mm
D:	127.00 mm
E:	./.

TOLERANCE

A:	+/- 2.5 mm
B:	./.
C:	+/- 1.5 mm
D:	+/- 1.5 mm
E:	./.

WEIGHT

weight (body piw):	0.120 kg
--------------------	----------

MATERIAL


Material:	HDPE
-----------	------

VOLUME

nominal volume [l]:	1.5 L
brimful volume:	./.

DRAWING NUMBER

Mauser drawing no.:	2856j
---------------------	-------



Drawing only exemplary

Mauser-Werke GmbH

Wilhelm-Weber-Stra 6 D-21079 Hamburg Germany
 Phone: +49 (0) 4076733238 Fax: +49 (0) 4076733267
 info@mauserpackaging.com
 http://www.mauserpackaging.com

Product Datasheet

description:	R WH 1,5L ws29 120g KS80 69/KRT 4KRT/CP2HT UN	year:	1998
product group:	Square Chemical Bottle	last revision:	2013-05-28
Mauser product no.:	DE03011653	print date:	2021-11-11
		page:	2/2

LABELING

Embossing/Labeling/Printing:	./.	customer spec no.:	
label:			

MODEL / COMPONENTS / ACCESSORIES

Basic Colors:	white	colour type:	FK weiss
Quality and/or Functionality:	./.	Narrow Neck Typ:	./.
Wide Neck Typ:	./.	Wide Neck Typ 2:	KS 80 Orig.
Number of Layers/View Stripe:	Monolayer	Screw Cap/Dust Cap:	./.
FoodProtect:	no		

SHIPPING UNIT

Palletizing:	Strechfoil & PE Film Cover	Pallettyp:	CP2 heat treated (800x1200mm)
pieces per pallet:	276	outer packaging:	4 card boxes with PE bag per pallet
number of Interlayers:	./.	type of Interlayer:	./.

STANDARD FILLING PRODUCTS

Approval Category:	X	Approval Density:	./.
Approval Pressure:	0 (solids)		

	max. vapour pressure at 50C	max. vapour pressure at 55C	density PG I	density PG II	density PG III
solid:	./.	./.	1.3	1.3	1.3
water:	./.	./.	./.	./.	./.
acetic acid:	./.	./.	./.	./.	./.
wetting solution:	./.	./.	./.	./.	./.
white spirit:	./.	./.	./.	./.	./.
n-butyl acetate:	./.	./.	./.	./.	./.
nitric acid 55%:	./.	./.	./.	./.	./.

approval: UN3H1/X3/S../D/BAM5243-M3